



Customer: The Hemp Collect
2014 SE 9th Ave
Portland Oregon 97214
United States of America (USA)

Product identity: Live D9 Huckleberry Gummy

Material: Cannabinoid Edible

Laboratory ID: 26-000863-0003

Evidence of Cooling: No

Temp: 17.2 °C

Lot #: 3009.2NC_101925



**THE HEMP
COLLECT**

Sample Results

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2600491	01/23/26 AOAC 2020.02 ^h		
EHEC including STEC [±]	Negative		/25g		2600492	01/23/26 AOAC 2020.06 ^h		

Solvents

Method: Residual Solvents by HS-GC-MS^h Units µg/g Batch 2600584 Analyze: 01/23/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum) [±]	< LOQ	5000	600	pass		Propane [±]	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides

Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2600666 Analyze: 01/28/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [±]	< LOQ	0.50	0.250	pass		Acephate [±]	< LOQ	0.40	0.200	pass	
Acequinocyl [±]	< LOQ	2.0	1.00	pass		Acetamiprid [±]	< LOQ	0.20	0.100	pass	
Aldicarb [±]	< LOQ	0.40	0.200	pass		Azoxystrobin [±]	< LOQ	0.20	0.100	pass	
Bifenazate [±]	< LOQ	0.20	0.100	pass		Bifenthrin [±]	< LOQ	0.20	0.100	pass	
Boscalid [±]	< LOQ	0.40	0.200	pass		Carbaryl [±]	< LOQ	0.20	0.100	pass	



Pesticides Method: AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 2600666 Analyze: 01/28/26

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Carbofuran [±]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [±]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [±]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [±]	< LOQ	0.20	0.100	pass	
Clofentezine [±]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [±]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [±]	< LOQ	1.0	0.500	pass		Daminozide [±]	< LOQ	1.0	0.500	pass	
Diazinon [±]	< LOQ	0.20	0.100	pass		Dichlorvos [±]	< LOQ	1.0	0.500	pass	
Dimethoate [±]	< LOQ	0.20	0.100	pass		Ethoprophos [±]	< LOQ	0.20	0.100	pass	
Etofenprox [±]	< LOQ	0.40	0.200	pass		Etoxazole [±]	< LOQ	0.20	0.100	pass	
Fenoxycarb [±]	< LOQ	0.20	0.100	pass		Fenpyroximate [±]	< LOQ	0.40	0.200	pass	
Fipronil [±]	< LOQ	0.40	0.200	pass		Fonicamid [±]	< LOQ	1.0	0.400	pass	
Fludioxonil [±]	< LOQ	0.40	0.200	pass		Hexythiazox [±]	< LOQ	1.0	0.400	pass	
Imazalil [±]	< LOQ	0.20	0.100	pass		Imidacloprid [±]	< LOQ	0.40	0.200	pass	
Kresoxim-methyl [±]	< LOQ	0.40	0.200	pass		Malathion [±]	< LOQ	0.20	0.100	pass	
Metalaxyl [±]	< LOQ	0.20	0.100	pass		Methiocarb [±]	< LOQ	0.20	0.100	pass	
Methomyl [±]	< LOQ	0.40	0.200	pass		MGK-264 [±]	< LOQ	0.20	0.100	pass	
Myclobutanil [±]	< LOQ	0.20	0.100	pass		Naled [±]	< LOQ	0.50	0.250	pass	
Oxamyl [±]	< LOQ	1.0	0.500	pass		Paclobutrazole [±]	< LOQ	0.40	0.200	pass	
Parathion-methyl [±]	< LOQ	0.20	0.100	pass		Permethrin [±]	< LOQ	0.20	0.100	pass	
Phosmet [±]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [±]	< LOQ	2.0	1.00	pass	
Prallethrin [±]	< LOQ	0.20	0.100	pass		Propiconazole [±]	< LOQ	0.40	0.200	pass	
Propoxur [±]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [±]	< LOQ	1.0	0.500	pass	
Pyridaben [±]	< LOQ	0.20	0.100	pass		Spinosad [±]	< LOQ	0.20	0.100	pass	
Spiromesifen [±]	< LOQ	0.20	0.100	pass		Spirotetramat [±]	< LOQ	0.20	0.100	pass	
Spiroxamine [±]	< LOQ	0.40	0.200	pass		Tebuconazole [±]	< LOQ	0.40	0.200	pass	
Thiacloprid [±]	< LOQ	0.20	0.100	pass		Thiamethoxam [±]	< LOQ	0.20	0.100	pass	
Trifloxystrobin [±]	< LOQ	0.20	0.100	pass							

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0189	2600556	01/23/26 AOAC 2013.06 (mod.) ^p	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0189	2600556	01/23/26 AOAC 2013.06 (mod.) ^p	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0189	2600556	01/23/26 AOAC 2013.06 (mod.) ^p	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.00945	2600556	01/23/26 AOAC 2013.06 (mod.) ^p	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2600663	01/28/26 Mycotoxins by AOAC 2007.01		
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2600663	01/28/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2600663	01/28/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2600663	01/28/26 Mycotoxins by AOAC 2007.01		
Ochratoxin A [±]	< LOQ	20.0	µg/kg	5.00	2600663	01/28/26 Mycotoxins by AOAC 2007.01	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		01/28/26 Mycotoxins by AOAC 2007.01 ^p	pass	



Revision: 3 Document ID: 3120
Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg					Batch ID: 2600666			
Matrix Spike/Matrix Spike Duplicate Recoveries						Sample ID: 26-000838-0001				
Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit	MS % Rec	MSD % Rec	Limits	Notes
Abamectin	0.000	0.243	0.225	0.280	7.6%	< 30	86.7%	80.3%	50 - 150	
Acephate	0.000	0.082	0.076	0.080	7.9%	< 30	102.2%	94.4%	50 - 150	
Acequinocyl	0.027	0.103	0.105	0.080	2.4%	< 30	94.8%	97.1%	50 - 150	
Acetamiprid	0.000	0.075	0.072	0.080	3.4%	< 30	93.6%	90.5%	50 - 150	
Aldicarb	0.000	0.355	0.343	0.400	3.3%	< 30	88.7%	85.8%	50 - 150	
Azoxystrobin	0.001	0.033	0.033	0.040	1.6%	< 30	81.5%	80.2%	50 - 150	
Bifentazate	0.001	0.039	0.037	0.040	4.8%	< 30	95.0%	90.5%	50 - 150	
Bifenthrin	0.000	0.345	0.334	0.400	3.4%	< 30	86.3%	83.5%	50 - 150	
Boscalid	0.001	0.034	0.040	0.040	16.9%	< 30	83.2%	98.6%	50 - 150	
Carbaryl	0.000	0.071	0.063	0.080	12.4%	< 30	88.7%	78.3%	50 - 150	
Carbofuran	0.000	0.033	0.034	0.040	2.0%	< 30	82.6%	84.3%	50 - 150	
Chlorantraniliprole	0.000	0.032	0.034	0.040	5.7%	< 30	79.6%	84.2%	50 - 150	
Chlorfenapyr	0.000	0.345	0.428	0.200	21.4%	< 30	172.7%	214.2%	50 - 150	Q
Chlorpyrifos	0.000	0.035	0.032	0.040	10.1%	< 30	88.5%	80.0%	50 - 150	
Clofentezine	0.001	0.035	0.034	0.040	4.4%	< 30	87.0%	83.3%	50 - 150	
Cyfluthrin	0.000	0.666	0.650	0.800	2.4%	< 30	83.3%	81.3%	30 - 150	
Cypermethrin	0.009	0.760	0.761	0.800	0.1%	< 30	93.8%	94.0%	50 - 150	
Daminozide	0.112	0.240	0.240	0.200	0.4%	< 30	63.7%	64.0%	30 - 150	
Diazinon	0.002	0.035	0.036	0.040	1.6%	< 30	83.7%	85.1%	50 - 150	
Dichlorvos	0.000	0.170	0.174	0.200	2.1%	< 30	85.2%	87.0%	50 - 150	
Dimethoate	0.001	0.036	0.035	0.040	1.8%	< 30	86.9%	85.3%	50 - 150	
Ethoprophos	0.001	0.035	0.036	0.040	2.1%	< 30	85.7%	87.5%	50 - 150	
Etofenprox	0.000	0.035	0.037	0.040	5.8%	< 30	86.4%	91.6%	50 - 150	
Etoazole	0.000	0.035	0.034	0.040	4.7%	< 30	88.2%	84.1%	50 - 150	
Fenoxycarb	0.001	0.036	0.032	0.040	12.2%	< 30	87.2%	77.2%	50 - 150	
Fenpyroximate	0.003	0.071	0.071	0.080	1.0%	< 30	85.3%	86.2%	50 - 150	
Fipronil	0.000	0.033	0.038	0.040	14.1%	< 30	82.4%	94.9%	50 - 150	
Flonicamid	0.000	0.074	0.067	0.080	10.0%	< 30	93.0%	84.2%	50 - 150	
Fludioxonil	0.000	0.029	0.033	0.040	12.3%	< 30	72.3%	81.8%	50 - 150	
Hexythiazox	0.000	0.041	0.039	0.040	4.7%	< 30	102.1%	97.4%	50 - 150	
Imazalil	0.001	0.034	0.038	0.040	12.0%	< 30	80.7%	91.0%	50 - 150	
Imidacloprid	0.000	0.036	0.033	0.040	8.6%	< 30	89.6%	82.2%	50 - 150	
Kresoxim-methyl	0.000	0.032	0.034	0.040	6.0%	< 30	79.0%	83.8%	50 - 150	
Malathion	0.000	0.035	0.034	0.040	2.8%	< 30	87.1%	84.7%	50 - 150	
Metalaxyl	0.000	0.034	0.033	0.040	4.7%	< 30	85.8%	81.9%	50 - 150	
Methiocarb	0.000	0.037	0.034	0.040	6.9%	< 30	90.3%	84.3%	50 - 150	
Methomyl	0.000	0.066	0.072	0.080	9.0%	< 30	82.4%	90.1%	50 - 150	
MGK-264	0.000	0.173	0.172	0.200	0.6%	< 30	86.6%	86.1%	50 - 150	
Myclobutanil	0.000	0.034	0.033	0.040	1.4%	< 30	83.7%	82.5%	50 - 150	
Naled	0.000	0.372	0.388	0.400	4.4%	< 30	92.9%	97.0%	50 - 150	
Oxamyl	0.000	0.715	0.693	0.800	3.2%	< 30	89.4%	86.6%	50 - 150	
Paclobutrazole	0.000	0.035	0.034	0.040	2.8%	< 30	88.6%	86.2%	50 - 150	
Parathion-Methyl	0.015	0.110	0.105	0.120	5.0%	< 30	79.3%	75.4%	30 - 150	
Permethrin	0.000	0.136	0.154	0.160	12.8%	< 30	84.8%	96.4%	50 - 150	
Phosmet	0.000	0.051	0.046	0.040	9.9%	< 30	128.3%	116.2%	50 - 150	
Piperonyl butoxide	0.000	0.725	0.741	0.800	2.2%	< 30	90.7%	92.7%	50 - 150	
Prallethrin	0.000	0.168	0.172	0.200	2.3%	< 30	83.9%	85.8%	50 - 150	
Propiconazole	0.000	0.033	0.037	0.040	12.2%	< 30	82.9%	93.7%	50 - 150	
Propoxur	0.000	0.038	0.036	0.040	4.8%	< 30	95.0%	90.6%	50 - 150	
Pyrethrin (Summe)	0.004	0.111	0.099	0.100	12.1%	< 30	107.8%	95.5%	50 - 150	
Pyridaben	0.002	0.078	0.077	0.080	2.0%	< 30	95.3%	93.4%	50 - 150	
Spinosad	0.000	0.034	0.036	0.040	7.9%	< 30	83.8%	90.6%	50 - 150	
Spiromesifen	0.000	0.099	0.106	0.120	7.8%	< 30	82.1%	88.7%	50 - 150	
Spirotetramat	0.000	0.036	0.036	0.040	0.2%	< 30	90.0%	89.8%	50 - 150	
Spiroxamine	0.000	0.034	0.036	0.040	3.3%	< 30	85.9%	88.8%	50 - 150	



Revision: 3 Document ID: 3120

Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg			Batch ID: 2600666			
Method Blank				Laboratory Control Sample				
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Abamectin	0.000	< 0.070		0.290	0.280	103.5	50.0	150
Acephate	0.000	< 0.020		0.074	0.080	92.7	60.0	120
Acequinocyl	0.000	< 0.020		0.107	0.080	133.7	40.0	160
Acetamiprid	0.000	< 0.020		0.068	0.080	84.4	60.0	120
Aldicarb	0.000	< 0.100		0.379	0.400	94.7	60.0	120
Azoxystrobin	0.001	< 0.010		0.037	0.040	92.0	60.0	120
Bifenazate	0.001	< 0.010		0.041	0.040	103.1	60.0	120
Bifenthrin	0.000	< 0.100		0.345	0.400	86.3	50.0	150
Boscalid	0.001	< 0.010		0.037	0.040	92.9	60.0	120
Carbaryl	0.000	< 0.020		0.069	0.080	86.7	60.0	120
Carbofuran	0.000	< 0.010		0.038	0.040	94.2	60.0	120
Chlorantraniliprole	0.000	< 0.010		0.036	0.040	90.4	60.0	120
Chlorfenapyr	0.000	< 0.050		0.230	0.200	115.1	60.0	120
Chlorpyrifos	0.000	< 0.010		0.033	0.040	82.4	60.0	120
Clofentezine	0.001	< 0.010		0.036	0.040	89.5	60.0	120
Cyfluthrin	0.000	< 0.200		0.643	0.800	80.4	50.0	150
Cypermethrin	0.009	< 0.200		0.701	0.800	87.6	50.0	150
Daminozide	0.050	< 0.050		0.186	0.200	93.1	60.0	120
Diazinon	0.002	< 0.010		0.036	0.040	90.9	60.0	120
Dichlorvos	0.000	< 0.050		0.179	0.200	89.5	60.0	120
Dimethoate	0.001	< 0.010		0.036	0.040	89.1	60.0	120
Ethoprophos	0.001	< 0.010		0.036	0.040	90.4	60.0	120
Etofenprox	0.002	< 0.010		0.036	0.040	89.9	50.0	150
Etoxazole	0.000	< 0.010		0.035	0.040	88.7	60.0	120
Fenoxycarb	0.000	< 0.010		0.041	0.040	103.0	60.0	120
Fenpyroximate	0.003	< 0.020		0.073	0.080	91.1	60.0	120
Fipronil	0.000	< 0.010		0.040	0.040	101.2	60.0	120
Fonicamid	0.000	< 0.020		0.076	0.080	95.1	60.0	120
Fludioxonil	0.000	< 0.010		0.036	0.040	89.3	50.0	150
Hexythiazox	0.000	< 0.010		0.036	0.040	88.9	60.0	120
Imazalil	0.001	< 0.010		0.038	0.040	96.2	60.0	120
Imidacloprid	0.000	< 0.010		0.035	0.040	88.1	60.0	120
Kresoxim-methyl	0.000	< 0.010		0.036	0.040	91.0	60.0	120
Malathion	0.000	< 0.010		0.037	0.040	92.7	60.0	120
Metalaxyl	0.001	< 0.010		0.035	0.040	88.6	60.0	120
Methiocarb	0.000	< 0.010		0.036	0.040	90.0	60.0	120
Methomyl	0.000	< 0.020		0.069	0.080	86.9	60.0	120
MGK-264	0.002	< 0.050		0.179	0.200	89.6	50.0	150
Myclobutanil	0.000	< 0.010		0.036	0.040	91.0	60.0	120
Naled	0.012	< 0.100		0.379	0.400	94.6	50.0	150
Oxamyl	0.000	< 0.200		0.737	0.800	92.2	60.0	120
Paclobutrazole	0.001	< 0.010		0.037	0.040	92.2	60.0	120
Parathion-Methyl	0.010	< 0.030		0.113	0.120	93.8	50.0	150
Permethrin	0.000	< 0.040		0.132	0.160	82.3	50.0	150
Phosmet	0.000	< 0.010		0.047	0.040	118.1	50.0	150
Piperonyl butoxide	0.000	< 0.200		0.754	0.800	94.3	60.0	120
Prallethrin	0.002	< 0.050		0.173	0.200	86.4	60.0	120
Propiconazole	0.001	< 0.010		0.036	0.040	89.9	60.0	120
Propoxur	0.000	< 0.010		0.037	0.040	92.3	60.0	120
Pyrethrin (Summe)	0.005	< 0.100		0.099	0.100	99.0	60.0	120
Pyridaben	0.002	< 0.020		0.071	0.080	88.5	50.0	150
Spinosad	0.000	< 0.100		0.035	0.040	87.7	50.0	150
Spiromesifen	0.002	< 0.030		0.106	0.120	88.1	60.0	120
Spirotetramat	0.000	< 0.010		0.039	0.040	96.6	60.0	120
Spiroxamine	0.000	< 0.010		0.036	0.040	90.3	60.0	120



Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

QC - Sample Duplicate

Sample ID: 26-000872-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1,1-Trichloroethane	ND	ND	5	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, cis-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	846	1120	200	µg/g	27.9	< 20	FAIL	R, E2
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

µg/g- Microgram per gram or ppm



Revision: 2 Document ID: 7087
Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2600584					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,1,1-Trichloroethane	ND	< 5		3.69	5	µg/g	73.8	50-150	
1,2-Dichloroethene, trans-	ND	< 1		0.668	1	µg/g	66.8	50-150	
1,2-Dichloroethene, cis-	ND	< 1		0.704	1	µg/g	70.4	50-150	
1,4-Dioxane	ND	< 100		418	509	µg/g	82.1	60-120	
1-Butanol	ND	< 500		1460	1610	µg/g	90.7	50-150	
2,2-Dimethylbutane	ND	< 30		147	188	µg/g	78.2	60-120	
2,2-Dimethylpropane	ND	< 200		852	956	µg/g	89.1	60-120	
2,3-Dimethylbutane	ND	< 30		147	188	µg/g	78.2	60-120	
2-Butanol	ND	< 200		1310	1640	µg/g	79.9	60-120	
2-Ethoxyethanol	ND	< 30		163	188	µg/g	86.7	60-120	
2-Methylbutane	ND	< 200		1330	1660	µg/g	80.1	60-120	
2-Methylpentane	ND	< 30		153	189	µg/g	81.0	60-120	
2-Propanol	ND	< 200		1400	1680	µg/g	83.3	60-120	
3-Methylpentane	ND	< 30		155	188	µg/g	82.4	60-120	
Acetone	ND	< 200		1400	1670	µg/g	83.8	60-120	
Acetonitrile	ND	< 100		422	511	µg/g	82.6	60-120	
Benzene	ND	< 1		0.696	1	µg/g	69.6	50-150	
Butane	ND	< 200		695	769	µg/g	90.4	60-120	
Chloroform	ND	< 1		0.752	1	µg/g	75.2	50-150	
Cumene	ND	< 30		164	192	µg/g	85.4	60-120	
Cyclohexane	ND	< 200		1390	1650	µg/g	84.2	60-120	
Dichloromethane	ND	< 1		0.671	1	µg/g	67.1	50-150	
DMSO	ND	< 500		1320	1620	µg/g	81.5	50-150	
Ethanol	ND	< 200		1370	1650	µg/g	83.0	60-120	
Ethyl acetate	ND	< 200		1350	1630	µg/g	82.8	60-120	
Ethyl Ether	ND	< 200		1330	1630	µg/g	81.6	60-120	
Ethylbenzene	ND	< 200		845	996	µg/g	84.8	60-120	
Ethylene Glycol	ND	< 200		426	520	µg/g	81.9	60-120	
Ethylene Oxide	ND	< 1		0.688	1	µg/g	68.8	50-150	
Heptane	ND	< 200		1360	1630	µg/g	83.4	60-120	
Hexane	ND	< 30		150	191	µg/g	78.5	60-120	
Isobutane	ND	< 200		682	770	µg/g	88.6	60-120	
Isobutyl Acetate	ND	< 500		1530	1640	µg/g	93.3	50-150	
Isopropyl Acetate	ND	< 200		1430	1660	µg/g	86.1	60-120	
m,p-Xylene	ND	< 200		892	1030	µg/g	86.6	60-120	
Methanol	ND	< 200		1360	1660	µg/g	81.9	60-120	
Methylethylketone	ND	< 500		1510	1620	µg/g	93.2	50-150	
Methylisobutylketone	ND	< 500		1540	1620	µg/g	95.1	50-150	
MTBE	ND	< 500		1430	1610	µg/g	88.8	50-150	
N,N-dimethylformamide	ND	< 150		484	492	µg/g	98.4	50-150	
o-Xylene	ND	< 200		867	996	µg/g	87.0	60-120	
Pentane	ND	< 200		1300	1630	µg/g	79.8	60-120	
Propane	ND	< 200		538	585	µg/g	92.0	60-120	
Tetrahydrofuran	ND	< 100		448	519	µg/g	86.3	60-120	
Toluene	ND	< 100		452	518	µg/g	87.3	60-120	
Triethylamine	ND	< 500		1380	1610	µg/g	85.7	50-150	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 26-000863/D007.R000
Report Date: 01/29/2026
ORELAP#: OR100028
Received: 01/21/26 09:41



Hemp & Cannabis
Chain of Custody

The-Hemp-
Collect-1768934663

Company Details		Project Details		Testing							
Company: The Hemp Collect Contact: Sierra Solnick Street Address: 2014 SE 9th City, State, Zip: Portland, OR 97214 Email: coas@thehempcollect.com Contact Phone: 8807520027 Billing Information Billing Email: accounting@thehempcollect.com		Turnaround Time: 5 Business Days Req. For Micro Testing Standard Relinquishment Sampling, Courier & Shipping Options: By Shipping Service (USPS, UPS, Fedex) Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves		CH005 - Oregon Package	H0013 - Cannabis Heavy Metals Profile OR	H0008 - Residual Solvents (Cannabis - Oregon)	R0000 - Micro Profile OR (OLCC Comp)	P2120 - Pesticides (OR - Cannabis)	H0042 - Aflatoxins+Ochratoxin OLCC		
#	Sample Name	Lot Additional Sample ID	Material	Amount Provided	Reporting Unit	Specifications					
1	CBG isolate - Intermediary Extract	02IS0227_01626	Cannabinoid isolate	15 g	%	N/A	✓				
2	THCa Distillate - Intermediary Extract	15DST257_01626	Cannabinoid Extract	15 g	%	N/A	✓				
3	Live D9 Huckleberry Gummy	3009 2NC_101925	Cannabinoid Edible	10 each		Please report by MG per 8 Grams		✓	✓	✓	✓
4	Live D8 Mango Gummy	3031NC_101925	Cannabinoid Edible	10 each		Please report by MG per 8 Grams		✓	✓	✓	✓

Package Details

Oregon Package: Aflatoxins+Ochratoxin | OLCC • Cannabis Heavy Metals Profile OR • Micro Profile OR (OLCC Comp) • Pesticides (OR - Cannabis) • Potency Cannabis (Basic+Expanded) • Residual Solvents (Cannabis - Oregon)

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IRTherm. CL#
Sierra Solnick	01/20/2026	10:44	sem	01/21/2026	09:41	17.20	02-0586

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info.ci@tentamus.com

Page 1 of 1
www.columbialaboratories.com





Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

Ⓐ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = $\mu\text{g/g}$ divided by 10,000

/25g = Per 25g

$\mu\text{g/g}$ = Microgram per gram

$\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

Approved Signatory

Derrick Tanner
General Manager

